

THE FASTEST
CONNECTION
IS HERE



4G

MIMO Antenna

WG-MBR(M)-28



Frequency :694-960/1710-2170/1575.42/2400-2500/4900-6000MHZ

Gain : 2.5dBi for cellular, 27dB for GPS

V.S.W.R : <2:1

Impedance : 50 ohm

Connector : SMA, FME.....(Optional)

Cable : RG174 for GPS, RG58 or

Cable : CFD195...for other(Optional)

Polarization: Vertical

Material : ABS

Length: ϕ 140 x 87.5(L)cm

Color: Black / White

Weight:1066g

Mount: Roof / Magnet type

Temperature:-20°C to + 60°C

© 2016 EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com





ISO 9001

THE FASTEST CONNECTION IS HERE.



4G




THE FASTEST CONNECTION IS HERE.



4G+


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



- System
- Print
- Abort Printing
- Printer Setup...
- Invert Image ON
- Dump Screen Image...
- Multiport Test Set Setup
- Misc Setup
- Backlight ON
- Firmware Revision

Meas Stop ExtRef Ready Svc 2014-10-30 09:34

THE FASTEST CONNECTION IS HERE



System

Print

Abort Printing

Printer Setup...

Invert Image ON


Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision



System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision


THE FASTEST
CONNECTION
IS HERE.



4G+


Packaging

Each antenna pack in a
inner white box



10 PCS Per Carton

Carton Dimensions:69*40.6*21.2cm



ISO 9001



Antenna Applications

