



The World Wide Leader in Antenna

GSM Antenna

FG-TC-128



Frequency : 824-896/1770-2170 MHZ

Gain : 3dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : SMA (Optional)

Cable : 2.5meter of RG174 (Optional)

Material : ABS

Weight: ≈80g

Color: Black


Polarization: Vertical

Temperature:-20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.


No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	TC-128SMA-M2.5-AAT	<i>Ben</i> 20180528	C.H.C 2018.05.30	1 : 2	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump
Screen Image...

E5091A Setup ▶

Misc Setup ▶

Backlight
ON

Firmware
Revision

Meas Stop ExtRef Ready Svc 2019-05-30 14:24



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**100 pcs per carton
Carton Dimensions: 50*30*20cm**

