



The World Wide Lead Antenn



2.4G Antenna

WLP-8813



Frequency : 2.4-2.5GHz

Gain : 3dBi

V.S.W.R : <2.0:1

Impedance : 50 ohm

Connector : SMA (Optional)

Cable : RG174 (Optional)

Material : ABS Polymer

Weight : \approx 50g

Color : Black

Mount : 3M Tape

Polarization : Linear (H) or (V)

Temperature : -20°C to +60°C

Dimension : 115 X 22mm


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.


Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	WG-WLP-8813			C.H.C 2010.05.31	1 : 2





The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**200 pcs per carton
Carton Dimensions:40*30*20cm**

