

4G LTE

4G LTE Roof Antenna

UMB-TC224



Frequency :700~2700MHZ

Gain : 5dBi

Connector : FME/F (Optional)

V.S.W.R : <1.5:1

Impedance : 50ohm

Cable : RG58 4.3M(Optional)

Length: 257mm

Weight:230g

Material: Steel/Copper/TPR

Polarization : Vertical

Color : Black

Mounting : Roof Type

Temperature:-30°C to +80°C

Max. Power: 50W

© 2016 EVERCOM COMMUNICATION TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



EVERCOM
COMMUNICATION




CABLE RG58/U LENGTH 4.3M

FME FEMALE



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	UMB-TC224FME-F4.3	<i>Ben</i> 20170424	C.H.C 2016.04.21	1 : 3	mm



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump
Screen Image...

Multiport Test Set
Setup

Misc Setup


Backlight
ON

Firmware
Revision


4G LTE

Packaging

*1 pcs Antenna PE bag/ each



*25 pcs Bulk /per carton
Carton Dimensions:50*40*15cm



4G LTE

Antenna Applications

