



*The World Wide Leader in Antenna*

# GSM Antenna

## TU-7308SPG



Frequency : 890~980/ 1710~2150/ 2600 MHZ

Gain : 5dBi

Connector : CRC9 (Optional)

V.S.W.R : <1.5:1

Impedance: 50 ohm

Cable : RG174 (Optional)

Length: 200mm

Weight: 140g

Material : ABS/ Steel

Polarization: Vertical

Color: Black

Mount: Magnet Type

Temperature: -30°C to +60°C

Max. Power: 50W


**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.


Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	TU-7308SPG/CRC9-M3			C.H.C 2012.08.15	1 : 1.5






*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**



**50 pcs per carton  
Carton Dimensions:40\*30\*20cm**

