

4G LTE

4G LTE Magnet Antenna

UMB-TC-1301A



Frequency : 700~2700MHZ

Gain : 9dBi

V.S.W.R : <1.5:1

Power : 50W

Impedance : 50 ohm

Connector : SMA/Male (Optional)

Cable : RG58 (Optional)

Mounting : Magnet Type

Length : 605mm

Weight : 560g

Material : Steel

Polarization : Vertical


Color: Black

Temperature : -30°C to +80°C

EVERCOM COMMUNICATIONS TECHNOLOGY CO., LTD.


No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NO.	UMB-TC1301ASMA-M3			W.C.W 2020.03.05	1:3	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump
Screen Image...

E5091A Setup

Misc Setup

Backlight
ON


Firmware
Revision

1 Center 2.15 GHz IFBW 70 kHz Span 3.3 GHz Cor | Meas Stop ExtRef Ready Svc 2020-04-09 09:09


4G LTE

Packaging

*1 pcs Antenna PE bag/ each



*25 pcs Bulk /per carton
Carton Dimensions:60*20*20cm



4G LTE

Antenna Applications

