

4G LTE

4G LTE NMO Antenna

UMB-OM86



Frequency :700~2700MHZ

Gain : 3.27dBi

Connector : NMO

V.S.W.R : <2:1

Impedance : 50 ohm

Size: Ø36.5mm/ H: 83.5mm

Weight: 120g

Material : ABS/ COPPER

Polarization: Vertical

Color: Black

Mounting : NMO

Temperature:-20°C to + 80°C

Max. Power: 50W

© 2016 EVERCOM COMMUNICATION TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




EVERCOM COMMUNICATION TECHNOLOGY CO., LTD				CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME		MODEL NO.	UMB-OM86CLD-NMO		<i>Ben</i>	C.H.C	1 : 1	mm
					20141128	2014.11.25		


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz

IFBW 70 kHz

Stop 2.1 GHz

Cor

Meas Stop ExtRef Ready Svc 2015-11-04 08:32

System

Print

Abort Printing

Printer Setup...

Invert Image
ON


Dump
Screen Image...

Multiport Test Set
Setup

Misc Setup

Backlight
ON

Firmware
Revision



System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...


Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision

2015-11-04 08:37



System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON


Firmware Revision

2015-11-04 08:35


4G LTE

Packaging

Antenna pack in a poly bag




100 PCS Per Carton
Carton Dimensions:40*30*20cm



4G LTE



Antenna Applications



Note: The base is not included

