

4G LTE

# 4G LTE Antenna

## UMB-YAGI-29XSM



Frequency :700~2700MHZ

Gain : 14dBi

Connector : FME/F to N/F

V.S.W.R : <1.5:1

Impedance: 50 ohm

Cable : CF195 6M (Optional)

Weight: 1.8kgs

Material : Aluminum

Polarization: Linear (H) or (V)

Color: Black Painting

Mount: YAGI Holder


Temperature:-20°C to +65°C

Dimension:  $\phi$ 1005x126mm (Two Layer)

© 2016 EVERCOM COMMUNICATIONS TECHNOLOGY CO., LTD.



No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	UMB-YAGI29SM/CFD195-5B		<i>Ben</i> 20190128	C.H.C 2018.12.19	1 : 5	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



1 Center 2.15 GHz IFBW 70 kHz Span 3.3 GHz Cor

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

E5091A Setup

Misc Setup


Backlight ON

Firmware Revision


Meas Stop ExtRef Ready Svc 2019-09-10 13:32

4G LTE


# Packaging



A set antenna put in a white box



10 pcs white box per carton  
Carton Dimensions:103.3\*40.3\*37.6cm



**4G LTE**

# Antenna Applications

