

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

CB ANTENNA

CB-2310



Frequency : 25-30Mhz

V.S.W.R. : <1.5:1

Power : 300W

Impedance : 50 Ohm

Material : SUS/ABS/Copper

Mount : ϕ 10mm NE Type

Connector : PL259 (Optional)

Color : Black

Weight : 680g

Dimension : 1692x39x5mm

Polarization : VERTICAL

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.


Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com



ISO 9001




EVERCOM[®]
COMMUNICATION



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	CB-2310		<i>Ben</i> 20140331	C.H.C 2014.03.07	1 : 2	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight
ON

Firmware Revision


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***25 pcs Bulk /per Carton**
Dimensions:170*20*18cm

