

**CB & VHF/UHF  
Series**



*The World Wide Leader in Antenna*

# CB ANTENNA

## CB-2350NE



Frequency : 27-28.50Mhz

V.S.W.R. : <1.5:1

Power : 500W

Impedance : 50 Ohm

Material : SUS/ABS/Copper

Mount :  $\phi$ 10mm NE Type

Weight : 650g

Connector : PL259

Color : Black

Dimension : 1571x43x5mm

Polarization : VERTICAL

Temperature : -20°C to +60°C


**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



ISO 9001



配件(2.0六角扳手)  
比例 1:2

CABLE RG-58/U LENGTH 14ft

PL-259A



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

CB-2350NE

Ben

C.H.C

1 : 3

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

▶ Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [F1]



Tr2 S22 SWR 1.000/ Ref 1.000 [F1]



1 Center 27 MHz

IFBW 70 kHz

Span 10 MHz Cor |

Meas Stop ExtRef Ready Svc 2011-06-10 16:09

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump  
Screen Image...

Multipoint Test Set  
Setup

Misc Setup ▶

Backlight

ON

Firmware  
Revision


# CB & VHF/UHF Series



*The World Wide Leader in Antenna*

## Packaging

**\*1 pcs Antenna PE bag/ each**



**\*25 pcs Bulk /per Carton  
Dimensions:200\*20\*20cm**

