

**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

CB ANTENNA

CB-2329NP

Frequency : 26-28.5Mhz

V.S.W.R. : <1.5:1

Max Power : 200W

Impedance : 50 Ohm

Material : SUS/ABS/ZINC

Mount : ϕ 12.5mm NP Type

Color : Black

Connector : PL259 (Optional)

Weight : 510g

Dimension : 1462x47x5mm

Polarization : VERTICAL

Temperature : -20°C to +60°C



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com




ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.			C.H.C 2012.09.27	1 : 3	mm
		CB-2329NP					

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image
ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight
ON

Firmware Revision


**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

Packaging

***1 pcs Antenna PE bag/ each**



***25 pcs Bulk /per Carton
Dimensions:155*20*15cm**

