















The World Wide Leader in Antenna

DVB-T ANTENNA

TV-PA01IEC



Frequency : 150~360/480~650/705~860MHz
Gain : 2.5 dB
V.S.W.R : <1.6:1
Connector : IEC,F
Impedance : 75 Ohms
Material : PCB
Cable : RG 174 (Optional)
Weight : 90g
Dimension : 151 x 29mm
Mounting : 3M Tape
Color : Black
Polarization : Vertical
Temperature : -30℃ to +60℃

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.
 No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.
 Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

TV-PA01F-M3

2013/11/18


C.H.C
2013.11.13

1 : 2


mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 100 MHz

IFBW 70 kHz

Stop 1 GHz Cor

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware
Revision















The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**




Sealing

20cm

11cm

100pcs per carton
Carton Dimensions:50*30*20cm



20cm

50cm

30cm