



*The World Wide Leader in Antenna*

# GSM Antenna

## FG-GPM-216

Frequency : 824-960/ 1710-1990/ 1575.42 MHZ

Gain : 3dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : GPS-SMA/M & GSM/FME/F  
(optional)

Cable : 4.5 meter of RG174 (Optional)

Material : ABS

Weight: ≈200g

Color: Black

Polarization: Vertical

Temperature:-20°C to +60°C





**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



	EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	GPM-216TM4.5/TM4.5		<i>Ben</i> 20130109	C.H.C 2012.01.03	1 : 2	mm






*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**



**50 pcs per carton  
Carton Dimensions: 50\*40\*20cm**

