



The World Wide Leader in Antenna

# GPS Antenna

## GPM-9



Frequency : 900 / 1800/ 1575.42 MHZ
Gain : 2dBi
Connector: MMCX, MCX, SMA, SMB, BNC, TNC, FME
V.S.W.R : <1.5:1
Impedance : 50 ohm
Cable : RG174 3M x 2
Weight : 130g
Material : ABS Polymer
Polarization : R.H.C.P
Color : Black
Mounting : 3M Tape
Temperature : -30°C to +80°C
Dimension : ø46.5 x 17.5mm
Voltage supply : 3.3.....5V
Amplification : 27dB
Noise Figure : 1.5dB
Current Consumption : Max. 27mA


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.


Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001




	EVERCOM COMMUNICATION TECHNOLOGY CO., LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	GPM-9SM3/SM3			C.H.C 2011.04.13	1 : 1.5



GPS

GSM






*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**



**50 pcs per carton  
Carton Dimensions:40\*30\*20cm**

