



*The World Wide Leader in Antenna*

# GSM Antenna

## TC-1303



Frequency : 824-960 / 1710-1990/2200MHZ

Gain : 3dB

Connector : FME/ F (Optional)

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG58 4.2M (Optional)

Length : 327mm

Weight : 460g

Material : SUS/ TRP/ Steel

Polarization : Vertical

Color : Black

Mounting : Magnet Type

Temperature : - 20°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)




EVERCOM COMMUNICATION TECHNOLOGY CO., LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	TC-1303FME-F4		C.H.C	1 : 2	mm
				2010.07.26		


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor |

Meas Stop ExtRef Ready Svc 2012-12-24 14:39

System

Print

Abort Printing

Printer Setup...

Invert Image  
ON

Dump  
Screen Image...

Multiport Test Set  
Setup

Misc Setup

Backlight  
ON

Firmware  
Revision



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**

**25 pcs per carton  
Carton Dimensions:50\*40\*15cm**

