



The World Wide Leader in Antenna

GSM Antenna

TC-1307



Frequency : 824-960 / 1710-1990/2200MHZ

Gain : 7dB

Connector : FME/F (Optional)

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG58 3.6M (Optional)

Length : 683mm

Weight : 440g

Material : SUS/ TPR/ Steel

Polarization : Vertical

Color : Black

Mounting : Magnet Type

Temperature : - 20°C to + 60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001




| | | | | | | | | |
|--|---|-----------|-----------|------------|-------------|---------------------|-------|------|
| | EVERCOM COMMUNICATION TECHNOLOGY CO., LTD | | | CHECKED BY | APPROVAL BY | DESIGNED BY | SCALE | UNIT |
| | MODEL NAME | MODEL NO. | TC-1307EU | | | C.H.C 2010.10.05 | 1 : 2 | mm |


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor I

Printer error

Meas Stop ExtRef Ready Svc

2016-07-15 08:11

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**25 pcs per carton
Carton Dimensions:70*40*15cm**

