



The World Wide Leader in Antenna

GSM Antenna

TC-1312



Frequency : 824-960 / 1710-1990/2200MHZ

Gain : 5dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : SMA/ Male (Optional)

Cable : RG58 3.6M (Optional)

Length : 326 mm

Material : SUS/ TPR/ Steel

Weight : ≈ 260g

Color : Black

Polarization : Vertical


Mounting : Magnet Type

Temperature : -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




	EVERCOM COMMUNICATION TECHNOLOGY CO, LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TC-1312SMA-M3		C.H.C	2016.09.10	1 : 2

Evercom Communication Technology Co., Ltd. Frequency Inspection Report


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co., Ltd.

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor !

Meas Stop ExtRef Ready Svc 2016-09-13 14:06

Item No. :FC-TC-1312SMA-M3

Inspector: Amber



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**50 pcs per carton
Carton Dimensions:50*30*20cm**

