



*The World Wide Leader in Antenna*

# GSM Antenna

## TC-1315



Frequency : 824-960 / 1900MHZ

Gain : 3dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : SMA, FME (Optional)

Cable : RG58 3M (Optional)

Length: 325 mm

Material : Copper/ SUP/ ABS

Weight :  $\approx$  225g

Color : Black

Polarization : Vertical


Mounting : Magnet Type

Temperature :-30°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**


No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	TC-1315 / 58SMA-M3		C.H.C	1:2	mm
				2018.10.24		

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



System

Print

Abort Printing

Printer Setup...

Invert Image  
ON

Dump  
Screen Image...

E5091A Setup ▶

Misc Setup ▶

Backlight  
ON

Firmware  
Revision


1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor | Meas Stop ExtRef Ready Svc 2020-05-11 14:03



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**



**25 pcs per carton  
Carton Dimensions:50\*40\*15cm**

