



The World Wide Leader in Antenna

GSM Antenna

TC-212



Frequency : 800 / 1900 MHZ

Gain : 5dB

Connector : FME, Mini-UHF, TNC

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG58

Length : 324.5mm

Weight : 100g

Material : Copper/ SUS/ TPR

Polarization : Vertical

Color : Black

Mounting : NMO

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	TC-212			C.H.C 2009.10.08	1 : 1.5

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State





The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**25 pcs per carton
Carton Dimensions:50*40*15cm**

