



**GSM
UMTS
LTE**

The World Wide Lead Antenn

**Your
3G
Signal**



**Your
GPS
Signal**

GSM Antenna

TC-6308




Frequency : 824 - 960 MHZ
Gain : 5dB
V.S.W.R : <1.5:1
Impedance: 50 ohm
Connector : FME,Mini-UHF,TNC
Cable : RG58
Length : 400 mm
Material : ABS/ Steel
Weight : 280g
Color : Black
Polarization : Vertical
Mount: 3M Tape
Temperature : -20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



MINI UHF MALE

CABLE RG-58U LENGTH 14ft

FME FEMALE



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

TC-6308EU

C.H.C
2012.08.03


1 : 2

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Center 892 MHz

IFBW 70 kHz

Span 1 GHz Cor

Meas Stop ExtRef Ready Svc 2014-10-30 11:02

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight

ON

Firmware

Revision



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**50 pcs per carton
Carton Dimensions: 50*30*20cm**

