



The World Wide Lead Antenn



# GSM Antenna

## TC-6310



Frequency : 900/1800/1900MHz

Gain : 3dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : FME, Mini-UHF,TNC

Cable : RG58

Length: 125 mm

Material : ABS/ Steel

Weight: 300g

Color: Black

Polarization: Vertical



Mount: 3M Tape

Temperature:-20°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



CABLE RG-58U LENGTH 14ft

FME FEMALE

MINI UHF MALE



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

TC-6310EU


C.H.C  
2012.08.06

1 : 1.5


mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



System

Print

Abort Printing

Printer Setup...

Invert Image  
ON

Dump  
Screen Image...

Multiport Test Set  
Setup

Misc Setup

Backlight  
ON

Firmware  
Revision

1 Start 600 MHz

IFBW 70 kHz

Stop 2.5 GHz Cor

Meas Stop ExtRef Ready Svc 2008-11-18 15:52



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**



**50 pcs per carton  
Carton Dimensions: 50\*30\*20cm**

