



The World Wide Lead Antenn



# GSM Antenna

## TC-6317



Frequency : 824~960/1710~1990/2.2/2.4GHz

Gain : 5dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : FME/ F (Optional)

Cable : RG58

Length: 179 mm

Material : ABS/ Steel

Weight: 320g

Color: Black

Polarization: Vertical



Mount: 3M Tape

Temperature:-20°C to +60°C


**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



CABLE RG-58U LENGTH 17.5ft



FME MALE



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

TC-6317EU

C.H.C  
2009.06.02


1 : 2

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz

IFBW 70 kHz

Stop 2.5 GHz Cor

Meas Stop ExtRef Ready Svc 2017-11-28 09:41

System

Print

Abort Printing

Printer Setup...

Invert Image  
ON

Dump  
Screen Image...

Multipoint Test Set  
Setup

Misc Setup

Backlight  
ON


Firmware  
Revision



The World Wide Leader in Antenna

# Packaging

\*1 pc Antenna  
PE bag/ each



50 pcs per carton  
Carton Dimensions: 50\*40\*20cm

