



The World Wide Leader in Antenna

GSM Antenna

TC-7315



Frequency : 900/1800/1900MHz

Gain : 3dBi

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : FME, SMA

Length: 50 mm

Material : TPR

Weight: 10g


Color: Black/ White

Polarization: Vertical

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



SMA MALE

	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TC-7315GSM		<i>Ben</i> 20140429	C.H.C 2014.04.24	2 : 1	mm



SMA MALE(RA)

	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	TC-7315GLSM(GSM)		<i>Ben</i> 20140326	C.H.C 2014.03.17	2 : 1	mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz

IFBW 70 kHz

Stop 2.5 GHz

Cor

Meas

Stop

ExtRef

Ready

Svc

2016-07-22 14:58

System



Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

Multiport Test Set
Setup

Misc Setup

Backlight

ON

Firmware
Revision





The World Wide Leader in Antenna

Packaging

***100 pc Antenna
PE bag/ each**



**500 pcs per carton
Carton Dimensions: 30*26*18.5cm**

