



The World Wide Leader in Antenna

# GSM Antenna

## TC-506FME



Frequency : 824 ~ 960 MHZ
Gain : 9dB
Connector: FME/F (Optional)
V.S.W.R : <1.5:1
Impedance: 50 ohm
Cable: RG58
Length: 1152mm
Weight: 760g
Material : Fiberglass/ SUS/ Copper
Polarization: Vertical
Color: Black
Mounting: Roof Type
Temperature:-20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001



**EVERCOM**<sup>®</sup>  
COMMUNICATION

CABLE RG-58A/U LENGTH 15ft

FME FEMALE



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	TC-506FME-F4.5	<i>Ben</i> 20140924	C.H.C 2014.09.24	1 : 3	mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 800 MHz

IFBW 70 kHz

Stop 1 GHz

Cor

Meas Stop ExtRef Ready Svc 2016-03-02 13:46

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multipoint Test Set Setup

Misc Setup

Backlight

ON

Firmware Revision



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
PE bag/ each**

**25 pcs per carton  
Carton Dimensions: 120\*20\*20cm**

