



The World Wide Leader in Antenna

GSM Antenna

TV-M36IEC



Frequency : 500-600 MHZ

Gain : 3dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : IEC-M (Optional)

Cable : 3meter of RG174 (Optional)

Material : SUS, TPR, STEEL

Weight: ≈200g

Color: Black


Polarization: Vertical

Temperature:-20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



CABLE RG-174A/U LENGTH (10#)



ICE MALE



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD
MODEL NO. TV-M36IEC-M3


CHECKED BY
APPROVAL BY
DESIGNED BY C.H.C
2012.09.07

SCALE 1:2
UNIT mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 585 MHz IFBW 70 kHz Span 150 MHz Cor !

Meas Stop ExtRef Ready Svc 2013-03-26 14:48

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight ON

Firmware Revision



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**50 pcs per carton
Carton Dimensions: 40*30*20cm**

