



WIFI



The World Wide Leader in Antenna

GSM Antenna

TC-9409



Frequency : 824-960/ 1710-2200 MHZ

Gain : 3dB

Connector : SMA/Male (Optional)

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG174 (Optional)

Weight : 100g

Dimension : 136x 47 mm

Material : ABS Polymer


Polarization : Linear (H)or (V)

Color : Grey

Mount : Wall Mount

Temperature : -20°C to +60°C

© EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.
No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.
Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

TC-9409X/174RASM1

Ben

C.H.C

1 : 2

mm

20161011

2016.10.04

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz

IFBW 70 kHz

Stop 2.5 GHz Cor |

Meas Stop ExtRef Ready Svc 2019-10-30 16:15

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware

Revision



Your
3G
Signal



WIFI

Your
GPS
Signal

The World Wide Leader in Antenna

Packaging

Antenna pack in a poly bag

100 PCS Per Carton
Carton Dimensions: 50*40*20cm

