



*The World Wide Leader in Antenna*

# GSM Antenna

## YAGI-02/0



Frequency : 824-960/ 1710-1880 MHZ

Gain : 24dB

Connector : FME, Mini-UHF, TNC

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : RG58

Length : 1004mm

Weight : ≐ 1.8 Kg

Material : Aluminum

Polarization : Linear (H) or (V)

Color : Anode

Mounting : YAGI Holder

Temperature : -20°C ~ +60°C

Max. Power : 100W


**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)




ISO 9001




	EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	YAGI-02/0			C.H.C 2010.08.27	1 : 5	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 600 MHz IFBW 70 kHz Stop 2.5 GHz Cor |

Meas Stop ExtRef Ready Svc 2020-03-06 08:15


- System
- ▲
- Print
- Abort Printing
- Printer Setup...
- Invert Image  
ON
- Dump  
Screen Image...
- E5091A Setup ▶
- Misc Setup ▶
- Backlight  
ON
- Firmware  
Revision
- ▼



*The World Wide Leader in Antenna*

# Packaging

**\*1 pc Antenna  
box / each**



**10 pcs per carton  
Carton Dimensions: 104\*40\*38cm**

