




The World Wide Leader in Antenna

GSM Antenna

YAGI-190



Frequency : 900 - 928 MHZ

Gain : 18dBi

Connector : FME, Mini-UHF,TNC

V.S.W.R : <1.5:1

Impedance : 50 ohm

Cable : Optional

Length : 1302mm

Weight : 2.2kgs

Material : Aluminum

Polarization: Linear (H) or (V)

Color : Anode

Mount : YAGI Holder


Temperature : -20°C to +60°C

Max. Power : 100W

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



EVERCOM COMMUNICATION TECHNOLOGY CO., LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

YAGI-190

Ben

C.H.C

1 : 5

mm

20140523

2013.05.23


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr2 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 800 MHz

IFBW 70 kHz

Stop 1 GHz Cor !

Meas Stop ExtRef Ready Svc 2013-09-04 10:00

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

Multiport Test Set Setup

Misc Setup

Backlight

ON


Firmware

Revision




The World Wide Leader in Antenna

Packaging



***1 pc Antenna
PE bag/ each**



**10 pcs per carton
Carton Dimensions: 133*41*38cm**

