

**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-1208



Frequency :144/430MHz

Gain : 3.5dB/ 5.2dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Max Power : 150W

Connector : M Type

Material : Copper / ABS / SUS

Dimension : 1075 x 28 x 4mm

Weight : ≐ 350g

Color : Gray Chrome

Polarization : Vertical

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com




ISO 9001




EVERCOM COMMUNICATION TECHNOLOGY CO., LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	DB-1208		<i>Ren</i>	C.H.C	1 : 3	mm
				2018/01/28	2009/06/30		

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 100 MHz IFBW 70 kHz Stop 500 MHz Cor |

Meas Stop ExtRef Ready Svc 2018-05-18 08:52

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware

Revision

CB &VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pc Antenna
PE bag/ each**

**25 pcs per carton
Carton Dimensions:120*15*15cm**

