

**CB & VHF/UHF  
Series**



*The World Wide Leader in Antenna*

# VHF/UHF ANTENNA

## DB-1218



Frequency : 144/430MHz

Gain : 2.15 dB /3.8 dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Max Power : 100W

Connector : M Type

Material : Copper / ABS / SUS

Dimension : 464 x 28 x 4mm

Weight : ≒ 280g

Color : Gray Chrome

Polarization : Vertical

Temperature : -20°C to +60°C


**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.

DB-1218

*Ben*

C.H.C

1 : 2


mm

20160126


2016.01.21

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 100 MHz

IFBW 70 kHz

Stop 500 MHz

Cor !

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware

Revision

# CB &VHF/UHF Series



*The World Wide Leader in Antenna*

## Packaging

**\*1 pc Antenna  
PE bag/ each**

**50 pcs per carton  
Carton Dimensions:50\*40\*20cm**

