

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-1220



Frequency : 144~146MHz

Gain : 6.5dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Connector : M Type

Max Power : 100W

Material : ABS /Copper/SUS

Weight : ≒ 500g

Dimension : 2455 x 27 x 3mm

Color : White Chrome

Polarization : Vertical

Temperature : -30°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com



ISO 9001



	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	DB-1220			C.H.C	1 : 2
						2011.08.11		


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Start 120 MHz IFBW 70 kHz Stop 190 MHz Cor |

System

- Print
- Abort Printing
- Printer Setup...
- Invert Image ON
- Dump Screen Image...
- Multiport Test Set Setup
- Misc Setup
- Backlight ON
- Firmware Revision


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

***1 pc Antenna PE package/
each**



**25 PCS Per Carton
Carton Dimensions:130*15*15cm**

