

**CB & VHF/UHF  
Series**



*The World Wide Leader in Antenna*

# VHF/UHF ANTENNA

## DB-1410UHF



AC-NMO /Roof type

OR



MT-1310/Magnet type




Frequency : 430~470MHZ
Gain : 2.15 dB
V.S.W.R : <1.5:1
Power : 10W
Connector : NMO Type
Impedance : 50 Ohms
Material : Copper/ PVC / SUP
Cable : RG58 or CFD195 (Optional)
Weight : 210g
Dimension : 157x 34 x 4.5mm
Color : White chrome
Polarization : Vertical
Temperature : -30°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)





	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME	MODEL NO.	DB-1410UHF		C.H.C	1:1	mm
					2012.05.15		

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]

1	132.0000000	MHz	-8.6530	dB
2	174.0000000	MHz	-4.0391	dB
3	144.0000000	MHz	-12.350	dB
4	146.0000000	MHz	-10.679	dB
5	145.0000000	MHz	-11.554	dB
>6	140.0000000	MHz	-36.214	dB

Tr2 S11 SWR 1.000/ Ref 1.000 [R0]

1	132.0000000	MHz	2.1709
2	174.0000000	MHz	4.3781
3	144.0000000	MHz	1.6360
4	146.0000000	MHz	1.8267
5	145.0000000	MHz	1.7190
>6	140.0000000	MHz	1.0314

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

E5091A Setup

Misc Setup

Backlight ON

Firmware Revision

1 Start 100 MHz IFBW 70 kHz Stop 200 MHz Cor !

Meas Stop ExtRef Ready Svc 2019-11-12 15:08

# CB & VHF/UHF Series



*The World Wide Leader in Antenna*

## Packaging

1 pcs Antenna / PE bag each



50 PCS Per Carton  
Carton Dimensions: 70\*30\*20cm

