

CB & VHF/UHF Series



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-1410VHF

Frequency : 136-174MHZ

Gain : 2.15 dB

V.S.W.R : <1.5:1

Power : 10W

Connector : NMO Type

Impedance : 50 Ohms

Material : Copper/ PVC / SUP

Cable : RG58 or CFD195 (Optional)

Weight : 220g

Dimension : 622 x 34 x 4.5mm

Color : White Chrome

Polarization : Vertical

Temperature : -30°C to +60°C



AC-NMO /Roof type



MT-1310/Magnet type




EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com




ISO 9001




1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 100 MHz IFBW 70 kHz Stop 200 MHz Cor !

Meas Stop ExtRef Ready Svc 2019-11-12 15:08

System

Print

Abort Printing

Printer Setup...

Invert Image ON

Dump Screen Image...

E5091A Setup

Misc Setup

Backlight ON

Firmware Revision

CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

1 pcs Antenna / PE bag each



50 PCS Per Carton
Carton Dimensions: 70*30*20cm



ISO 9001