


**CB &VHF/UHF
Series**



VHF/UHF ANTENNA **DB-86D**



Frequency : 138-470MHZ

Gain : 2.15 dB

V.S.W.R : <1.5:1

Impedance: 50 ohm

Connector : SMA (Optional)

Cable : 3meter of RG174 (Optional)

Material : ABS

Weight: 60g

Dimension : 566x29x3 mm

Mount: Magnetic

Polarization: Vertical

Temperature:-20°C to +60°C

EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com




ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD		CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.		<i>Ben</i>	<i>C.H.C</i>	1 : 2	mm
	DB-86DSMA-F3		20130314	2013.02.25		

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State




CB & VHF/UHF Series



Packaging

***1 pc Antenna
PE bag/ each**



**50 pcs per carton
Carton Dimensions:70*40*15cm**

