

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

VHF/UHF ANTENNA MULTI BANDS

DB-1233



Frequency : 29/50/144/430Mhz

Gain : 2.15dB~5.5dB

V.S.W.R. : <1.5:1

Power : 100W

Connector : M Type

Impedance : 50 Ohms

Material : Copper/Stainless

Weight : 490g

Dimension : 1257 x 4 x 4mm

Color : White Chrome

Polarization : Vertical

Temperature : -30°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com



ISO 9001



20151008




	EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
	MODEL NAME		MODEL NO.	DB-1233		<i>Ben</i>	C.H.C 2015.10.07	1 : 4


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

► Tr1 S11 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S11 SWR 1.000/ Ref 1.000 [R0]



1 Start 20 MHz IFBW 70 kHz Stop 500 MHz Cor |

Meas Stop ExtRef Ready Svc 2016-07-06 10:36

- System
- ▲
- Print
- Abort Printing
- Printer Setup...
- Invert Image
ON
- Dump
Screen Image...
- Multiport Test Set
Setup
- Misc Setup
- Backlight
ON
- Firmware
Revision
- ▼


CB & VHF/UHF Series



The World Wide Leader in Antenna

Packaging

1 pcs Antenna /Yellow PVC bag each



25 PCS Per Carton
Carton Dimensions:130*15*15cm

