

**CB & VHF/UHF  
Series**



*The World Wide Leader in Antenna*

# VHF/UHF ANTENNA

## DB-R902/156



Frequency : 150~162MHz

Gain : 3dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Connector : PL259A

Cable : RG-58A/U 5M Tinned

Mount : M25 x P1.75 Thread

Max Power : 100W

Material : ABS + Fiberglass

Weight : ≐ 550g ( ANTENNA) + 310g  
(Mount)

Whip Length : 1600mm

Polarization : Vertical

Temperature : -30°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)




ISO 9001

# CB & VHF/UHF Series



The World Wide Leader in Antenna

2020/5/11 下午 01:25:45




# CB & VHF/UHF Series



*The World Wide Leader in Antenna*

## Packaging

1 pc Antenna /Yellow PVC bag each



25 PCS Per Carton=18kg  
Carton Dimensions:170\*20\*18cm

