

## CB & VHF/UHF Series



*The World Wide Leader in Antenna*

# VHF/UHF ANTENNA

## Base Station



## BS-200LL

Frequency : 320-380MHz

Gain : 5.5dB

V.S.W.R : <1.5:1

Impedance : 50 ohm

Max Power : 200W

Mount : M Type

Material : Fiberglass

Length : 1.5M

Weight :  $\approx$  1.2kg

Color : White

Connector : PL259

Sections : 1

Polarization : Vertical

Wind : 60m/sec

Temperature : -20°C to +60°C

**EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.**


No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: [service@evercomtech.com](mailto:service@evercomtech.com)




ISO 9001


配件包B(比例 1:3)  
 (U型鐵\*2含NUT+SW\*4)(十字圖頭螺絲M6xP1\*1.M5xP0.8\*2  
 +M6 SW\*1+扳手2mm\*1+3mm\*1)



配件包C(比例1:3)  
 固定夾板\*2




1508 ±20



配件包A(比例 1:3)

鋁管x1  
 不鏽鋼天線x3支



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NO.

BS-200LL

C.H.C

2020.07.01


1:2.5

mm


1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State

Evercom Communication Technology Co.,Ltd.

▶ Tr1 S22 Log Mag 10.00dB/ Ref 0.000dB [R0]



Tr2 S22 SWR 1.000/ Ref 1.000 [R0]



1 Center 350 MHz

IFBW 70 kHz

Span 100 MHz

Cor !

Meas

Stop

ExtRef

Ready

Svc

2011-12-23 14:36

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump

Screen Image...

Multiport Test Set

Setup

Misc Setup

Backlight

ON

Firmware

Revision

# CB & VHF/UHF Series




The World Wide Leader in Antenna

## Packaging

\*1 pc Antenna  
PE bag/ each

PVC bag



10 pcs per carton  
Carton Dimensions:165\*20\*15cm

