

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-3208



Frequency : 144 -146 MHz

Gain : 2.15 dB

V.S.W.R. : <1.5:1

Power : 20W

Impedance : 50 Ohms

Cable : N/A

Material : Copper / ABS / SUP

Weight : 80 g

Color : Black

Dimension : 192~1069 X 13.8 X 11mm

Mount : BNC

Polarization : Vertical

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3-376-5678 Fax: +886-3-376-5319 E-Mail: service@evercomtech.com





ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO; LTD			CHECKED BY	APPROVAL BY	DESIGNED BY	SCALE	UNIT
MODEL NAME	MODEL NO.	DB-3208		<i>Ben</i> 20130109	C.H.C 2012.12.17	1 : 3	mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



1 Center 145 MHz IFBW 70 kHz Span 30 MHz Cor |

- System
- ▲
- Print
- Abort Printing
- Printer Setup...
- Invert Image
ON
- Dump
Screen Image...
- E5091A Setup ▶
- Misc Setup ▶
- Backlight
ON
- Firmware
Revision
- ▼


CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

1 pcs Antenna /PE bag each



200 PCS Per Carton
Carton Dimensions: 40*30*20cm



**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

Antenna Applications

