

**CB & VHF/UHF
Series**



The World Wide Leader in Antenna

VHF/UHF ANTENNA

DB-3209



Frequency : 144 -430 MHz

Gain : 2.15 dB

V.S.W.R. : <1.5:1

Power : 10W

Impedance : 50 Ohms

Cable : N/A

Material : Copper / ABS / SUP

Weight : 40 g

Color : Black

Dimension : 390 X 14.7 X 7 mm

Mount : BNC

Polarization : Vertical

Temperature : -20°C to +60°C


EVERCOM COMMUNICAITON TECHNOLOGY CO., LTD.

No.108 Jiesin St. Taoyuan District Taoyuan City 33063, Taiwan R.O.C.

Tel: +886-3- 376- 5678 Fax: +886-3- 376- 5319 E-Mail: service@evercomtech.com



ISO 9001



EVERCOM COMMUNICATION TECHNOLOGY CO.; LTD

CHECKED BY

APPROVAL BY

DESIGNED BY

SCALE

UNIT

MODEL NAME

MODEL NO.



DB-3209

C.H.C
2011.03.08

1 : 1

mm

1 Active Ch/Trace 2 Response 3 Stimulus 4 Mkr/Analysis 5 Instr State



1 Start 100 MHz IFBW 70 kHz Stop 500 MHz Cor 1

Meas Stop ExtRef Ready Svc 2018-05-18 08:52

System

Print

Abort Printing

Printer Setup...

Invert Image

ON

Dump
Screen Image...

E5091A Setup

Misc Setup

Backlight

ON

Firmware

Revision


CB & VHF/UHF Series




The World Wide Leader in Antenna

Packaging

1 pcs Antenna /PE bag each



250 PCS Per Carton
Carton Dimensions: 50*30*20cm



**CB &VHF/UHF
Series**



The World Wide Leader in Antenna

Antenna Applications

